BRAIN RESEARCH

VOL. 862 NOS. 1,2 **CONTENTS** **17 APRIL 2000**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – EMBASE/Excerpta Medica – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Elsevier BIOBASE/Current Awareness in Biological Sciences

Guidelines for the submission of manuscripts v

Announcement xi

Interactive reports (Also accessible on the World Wide Web at **http://www.elsevier.nl/locate/bres** or **http://www.elsevier.com/locate/bres)**

Evidence for the anatomical origins of hypoglossal afferents in the tongue of the Leopard frog, *Rana pipiens*
D.V. Harwood and C.W. Anderson (USA) 288

Oxidative stress and HNE conjugation of GLUT3 are increased in the hippocampus of diabetic rats subjected to stress
L.P. Reagan, A.M. Magariños, D.K. Yee, L.I. Swzeda, A. Van Bueren, A.L. McCall and B.S. McEwen (USA) 292

Recovery of the brain choline level in treated Cushing's patients as monitored by proton magnetic resonance spectroscopy
A. Khiat, C. Bard, A. Lacroix and Y. Boulanger (Canada) 301

Research reports

Astrocytic hypertrophy and altered GFAP degradation with age in subcortical white matter of the rhesus monkey
J.A. Sloane, W. Hollander, D.L. Rosene, M.B. Moss, T. Kemper and C.R. Abraham (USA) 1

ARC POMC mRNA and PVN α-MSH are lower in obese relative to lean Zucker rats
E.-M. Kim, E. O'Hare, M.K. Grace, C.C. Welch, C.J. Billington and A.S. Levine (USA, UK) 11

Differential profiles of nitric oxide and norepinephrine releases in the paraventricular nucleus region in response to mild footshock in rats
Y. Ishizuka, Y. Ishida, Q.-H. Jin, K. Kato, T. Kunitake, Y. Mitsuyama and H. Kannan (Japan) 17

α_2-Adrenergic receptors are not required for central anti-hypertensive action of moxonidine in mice
F.P. Tolentino-Silva, M.A. Haxhiu, S. Waldbaum, I.A. Dreshaj and P. Ernsberger (Brazil, USA) 26

Rètinas from albino rats are more susceptible to ischaemic damage than age-matched pigmented animals
R. Safa and N.N. Osborne (UK) 36

Ovarian cycle-related changes of glial fibrillary acidic protein (GFAP) immunoreactivity in the rat interpeduncular nucleus
F. Hajós, K. Halasy, B. Gerics, F. Szalay, E. Michaloudi and G.C. Papadopoulos (Hungary, Greece) 43

Effects of cocaine context on NAcc dopamine and behavioral activity after repeated intravenous cocaine administration
C.L. Duvauchelle, A. Ikegami, S. Asami, J. Robens, K. Kressin and E. Castaneda (USA) 49

Clomethiazole is neuroprotective in models of global and focal cerebral ischemia when infused at doses producing clinically relevant plasma concentrations
S.G. Sydserff, A.J. Cross, T.K. Murray, J.A. Jones and A.R. Green (USA, UK) 59

Early microglial reaction following mild forebrain ischemia induced by common carotid artery occlusion in rats
H. Ábrahám and G. Lázár (Hungary) 63

Physiology and pharmacology of native glycine receptors in developing rat ventral tegmental area neurons
J.-H. Ye (USA) 74

Intracellular glutathione levels determine cerebellar granule neuron sensitivity to excitotoxic injury by kainic acid
M. Ceccon, P. Giusti, L. Facci, G. Borin, M. Imbesi, M. Floreani and S.D. Skaper (Italy, UK) 83

Neuronal activity in female rat preoptic area associated with sexually motivated behavior
A. Kato and Y. Sakuma (Japan) 90

The pain inhibiting pain effect: an electrophysiological study in humans
A. Reinert, R.-D. Treede and B. Bromm (Germany) 103

MRZ 2/579, a novel uncompetitive *N*-methyl-D-aspartate antagonist, reduces infarct volume and brain swelling and improves neurological deficit after focal cerebral ischemia in rats
Y. Liu, L. Belayev, W. Zhao, R. Busto and M.D. Ginsberg (USA) 111

Effects of differential modulation of μ-, δ- and κ-opioid systems on bicuculline-induced convulsions in the mouse
Y. Yajima, M. Narita, Y. Takahashi-Nakano, M. Misawa, H. Nagase, H. Mizoguchi, L.F. Tseng and T. Suzuki (Japan, USA) 120

The role of GABAergic inhibition on direction-dependent sharpening of frequency tuning in bat inferior collicular neurons
P.H.-S. Jen and J. Zhang (USA) 127

Conditioned c-Fos in mouse NTS during expression of a learned taste aversion depends on contextual cues
M.W. Swank (USA) 138

Central 5-HT_1 and 5-HT_2 binding sites in transgenic mice with reduced glucocorticoid receptor number
J. Farisse, F. Héry, N. Barden, M. Héry and P. Boulenguez (France, Canada) 145

(Contents continued inside)

0006-8993(20000421)862:1/2;1-M

(contents continued)

DARPP-32 and CREB are present in type 2 iodothyronine deiodinase-producing tanycytes: implications for the regulation of type 2 deiodinase activity
C. Fekete, E. Mihály, S. Herscovici, J. Salas, H. Tu, P.R. Larsen and R.M. Lechan (USA, Hungary) 154

HPLC and electrospray ionization mass spectrometry as tools for the identification of APGWamide-related peptides in gastropod and bivalve mollusks: comparative activities on *Mytilus* muscles
J. Henry, C. Zatylny and P. Favrel (France) 162

GABAergic neurons in the rabbit visual cortex: percentage, layer distribution and cortical projections
S.M. Gómez-Urquijo, C. Reblet, J.L. Bueno-López and I. Gutiérrez-Ibarluzea (Spain) 171

Docosahexaenoic acid (DHA) improves the age-related impairment of the coupling mechanism between neuronal activation and functional cerebral blood flow response: a PET study in conscious monkeys
H. Tsukada, T. Kakiuchi, D. Fukumoto, S. Nishiyama and K. Koga (Japan) 180

A function of delayed rectifier potassium channels in glial cells: maintenance of an auxiliary membrane potential under pathological conditions
T. Pannicke, F. Faude, A. Reichenbach and W. Reichelt (Germany) 187

Changes in breathing during observation of effortful actions
C. Paccalin and M. Jeannerod (France) 194

Calcium transient activity in cultured murine neural crest cells is regulated at the IP_3 receptor
M.B. Carey and S.G. Matsumoto (USA) 201

Bidirectional actions of docosahexaenoic acid on hippocampal neurotransmissions in vivo
N. Itokazu, Y. Ikegaya, M. Nishikawa and N. Matsuki (Japan) 211

The role of pH and osmolarity in evoking the acetic acid-induced wiping response in a model of nociception in frogs
D.T. Hamamoto, M.W. Forkey, W.L. Davis, K.C. Kajander and D.A. Simone (USA) 217

Short communications

Modulation of G-protein linked cAMP accumulation in immortalized murine cortical astrocytes by retroviral infection
S. Raofi, P.K.Y. Wong and R.E. Wilcox (USA) 230

Striatal oxidative damage parallels the expression of a neurological phenotype in mice transgenic for the mutation of Huntington's disease
F. Pérez-Severiano, C. Ríos and J. Segovia (Mexico) 234

Effect of *N*-methyl-D,L-aspartate (NMA) on gonadotropin-releasing hormone (GnRH) gene expression in male mice
T.J. Wu, M.J. Gibson and J.L. Roberts (USA) 238

The 5-HT_{1A} antagonist WAY 100635 can block the low-dose locomotor stimulant effects of cocaine
R. Carey, E. Damianopoulos and G. DePalma (USA) 242

Selenium deficiency potentiates methamphetamine-induced nigral neuronal loss; comparison with MPTP model
H.-C. Kim, W.-K. Jhoo, E.-J. Shin and G. Bing (South Korea, USA) 247

Cyclin-dependent kinase 5 (Cdk5) associated with Lewy bodies in diffuse Lewy body disease
M. Takahashi, E. Iseki and K. Kosaka (Japan) 253

Modulation of the formalin-induced nociceptive response by diabetes: possible involvement of intracellular calcium
J. Kamei, K. Taki, M. Ohsawa and H. Hitosugi (Japan) 257

Attenuation of free radical generation during reversible focal cerebral ischemia with the nitric oxide inhibitor, L-NAME (L-N^G-nitro-L-arginine methyl ester)
N.J. Solenski and A.-L. Kwan (USA, Taiwan) 262

Impulsivity and AMPA receptors: aniracetam ameliorates impulsive behavior induced by a blockade of AMPA receptors in rats
K. Nakamura, M. Kurasawa and M. Shirane (Japan) 266

Excitotoxic profile of LY339434, a GluR5 agonist, in cultured murine cortical neurons
R.X. Moldrich, N.S. Cheung, C.J. Pascoe, S.R. Baker, C. Pedregal and P.M. Beart (Australia, UK, Spain) 270

Effect of chronic intraperitoneal injections of leptin on hypothalamic neurotensin content and food intake
S. Richy, A. Burlet, J.-P. Max, C. Burlet and B. Beck (France) 276

Changes in [^{3}H]zolpidem and [^{3}H]Ro 15-1788 binding in rat globus pallidus and substantia nigra pars reticulata following a nigrostriatal tract lesion
A. Chadha, O. Howell, J.R. Atack, C. Sur and S. Duty (UK) 280

Transient depression of excitatory synaptic transmission induced by adenosine uptake inhibition in rat hippocampal slices
E. Narimatsu and M. Aoki (Japan) 284

Author Index 308

CONTENTS Direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**